

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1-50. (canceled)

51. (currently amended) A composition comprising

(a) at least one polymethylsilsesquioxane film former comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ and

(b) at least ~~one~~ **two** film ~~former~~ **formers** different from said at least one polymethylsilsesquioxane film former,

wherein said composition is a mascara composition;

further wherein x is the number of repeating units; and

further wherein said at least one polymethylsilsesquioxane film former is

present in an amount effective to provide at least one property chosen from long wear and transfer resistance,

wherein at least one of said at least two film formers in (b) is chosen from allyl stearate/vinyl acetate copolymer film formers.

52. (original) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former is present in an amount effective to provide long wear and transfer resistant properties.

53. (original) The composition according to claim 51, wherein x is less than or equal to 500.

54. (original) The composition according to claim 51, wherein x ranges from 50 to 500.

55. (original) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former has a melting point ranging from 40°C to 80°C.

56. (currently amended) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former further comprises up to 1% of units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$ $(\text{CH}_3)_2\text{SiO}_{3/2}$.

57. (original) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former has a weight average molecular weight ranging from 500 to 20,000.

58. (original) The composition according to claim 57, wherein said at least one polymethylsilsesquioxane film former has a weight average molecular weight of 10,000.

59. (original) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former is present in an amount ranging from 1% to 25% by weight relative to the total weight of the composition.

60. (original) The composition according to claim 59, wherein said at least one polymethylsilsesquioxane film former is present in an amount ranging from 5% to 20% by weight relative to the total weight of the composition.

61. (original) The composition according to claim 51, wherein said at least one polymethylsilsesquioxane film former is present in said composition in a higher amount than the amount of said at least one film former different from said at least one polymethylsilsesquioxane film former.

62. (currently amended) The composition according to claim 51, wherein said at least ~~one~~ **two** film former **formers** different from said at least one polymethylsilsesquioxane film former ~~is~~ **are** chosen from di-block copolymer film formers, tri-block copolymer film formers, multi-block copolymer film formers, radial block copolymer film formers, and star block copolymer film formers.

63. (currently amended) The composition according to claim 51, wherein said at least ~~one~~ **two** film former **formers** different from said at least one polymethylsilsesquioxane film former ~~is~~ **are** chosen from:
styrene-butadiene-styrene block copolymers;
styrene-isoprene-styrene block copolymers;
styrene-ethylenebutylene-styrene block copolymers;
styrene-ethylenepropylene block copolymers;
styrene-ethylenebutylene block copolymers;

styrene-butadiene block copolymers;
styrene-isoprene block copolymers;
styrene-butylene-ethylene-styrene block copolymers; and
ethylene-propylene-styrene block copolymers.

64. (currently amended) The composition according to claim 51, wherein said at least ~~one~~ two film former ~~formers~~ different from the at least one polymethylsilsesquioxane film former ~~is~~ are present in an amount ranging from 1% to 25% by weight relative to the total weight of the composition.

65. (original) The composition according to claim 51, further comprising at least one additional ingredient chosen from gelling agents; oils; waxes; preservatives; suspending agents; thickening agents; solvents; surfactants; emollients; fatty substances; waxes; formulation aids; spherical compounds; hectorites; synthetic polymers; spreading agents; dispersants; antifoaming agents; wetting agents; UV-screening agents; antioxidants; perfumes; essential oils; essential fatty acids; pigments; mothers-of-pearl; fillers; cosmetic active agents; dermatological active agents; pharmaceutical active agents; moisturizers; vitamins; biological materials; and derivatives of any of the foregoing, wherein said at least one additional ingredient is different from both the at least one polymethylsilsesquioxane film former and the at least one film former different from the at least one polymethylsilsesquioxane film former.

66-67. (canceled)

68. The composition according to claim ~~67~~ **51**, wherein said allyl stearate/vinyl acetate copolymer film former is present in an amount ranging from 0.5 % to 10% by weight relative to the total weight of the composition.

69. The composition according to claim 68, wherein said composition is waterproof.

70-85. (canceled)

86. (currently amended) A composition comprising:

(a) at least one polymethylsilsesquioxane film former comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ and

(b) at least ~~one~~ **two** film ~~former~~ **formers** different from said at least one polymethylsilsesquioxane film former,

wherein said composition is an eyeliner composition;

further wherein x is the number of repeating units; and

further wherein said at least one polymethylsilsesquioxane film former is present in an amount effective to provide at least one property chosen from long wear and transfer resistance,

wherein at least one of said at least two film formers in (b) is chosen from allyl stearate/vinyl acetate copolymer film formers.

87. (original) The composition according to claim 86, wherein x is less than or equal to 500.

88. (original) The composition according to claim 86, wherein x ranges from 50 to 500.

89. (original) The composition according to claim 86, wherein said at least one polymethylsilsesquioxane film former has a melting point ranging from 40°C to 80°C.

90. (currently amended) The composition according to claim 86, wherein said at least one polymethylsilsesquioxane film former further comprises up to 1% of units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$ $(\text{CH}_3)_2\text{SiO}_{3/2}$.

91. (original) The composition according to claim 86, wherein said at least one polymethylsilsesquioxane film former has a weight average molecular weight ranging from 500 to 20,000.

92. (original) The composition according to claim 91, wherein said at least one polymethylsilsesquioxane film former has a weight average molecular weight of 10,000.

93. (original) The composition according to claim 86, wherein said at least one polymethylsilsesquioxane film former is present in an amount ranging from 5% to 70% by weight relative to the total weight of the composition.

94. (original) The composition according to claim 93, wherein said at least one polymethylsilsesquioxane film former is present in an amount ranging from 20% to 70% by weight relative to the total weight of the composition.

95. (original) The composition according to claim 86, wherein said at least one polymethylsilsesquioxane film former is present in said composition in a higher amount than the amount of said at least one film former different from said at least one polymethylsilsesquioxane film former.

96. (currently amended) The composition according to claim 86, wherein said at least ~~one~~ **two** film former **formers** different from said at least one polymethylsilsesquioxane film former ~~is~~ **are** chosen from di-block copolymer film formers, tri-block copolymer film formers, multi-block copolymer film formers, radial block copolymer film formers, and star block copolymer film formers.

97. (currently amended) The composition according to claim 86, wherein said at least ~~one~~ **two** film former **formers** different from said at least one polymethylsilsesquioxane film former ~~is~~ **are** chosen from:

styrene-butadiene-styrene block copolymers;

styrene-isoprene-styrene block copolymers;

styrene-ethylenebutylene-styrene block copolymers;

styrene-ethylenepropylene block copolymers;

styrene-ethylenebutylene block copolymers;

styrene-butadiene block copolymers;
styrene-isoprene block copolymers;
styrene-butylene-ethylene-styrene block copolymers; and
ethylene-propylene-styrene block copolymers.

98. (currently amended) The composition according to claim 86, wherein said at least one ~~two~~ film former formers different from the at least one polymethylsilsesquioxane film former ~~is~~ are present in an amount ranging from 1% to 25% by weight relative to the total weight of the composition.

99. (original) The composition according to claim 86, further comprising at least one additional ingredient chosen from gelling agents; oils; waxes; preservatives; suspending agents; thickening agents; solvents; surfactants; emollients; fatty substances; waxes; formulation aids; spherical compounds; hectorites; synthetic polymers; spreading agents; dispersants; antifoaming agents; wetting agents; UV-screening agents; antioxidants; perfumes; essential oils; essential fatty acids; pigments; mothers-of-pearl; fillers; cosmetic active agents; dermatological active agents; pharmaceutical active agents; moisturizers; vitamins; biological materials; and derivatives of any of the foregoing, wherein said at least one additional ingredient is different from both the at least one polymethylsilsesquioxane film former and the at least one film former different from the at least one polymethylsilsesquioxane film former.

100. (original) The composition according to claim 99, further comprising at least one additional ingredient chosen from hydrocarbon gels, bentone type gels, waxes, preservatives, propylene carbonate, isododecane, silica, silica silylate, petroleum distillates, polyethylene, preservatives, and pigments.

101-102. (canceled)

103. (currently amended) The composition according to claim 101 86, wherein said allyl stearate/vinyl acetate copolymer film former is present in an amount ranging from 0.5 % to 3.5% by weight relative to the total weight of the composition.

104-118. (canceled)